

付表3 新長崎漁港観測記録(平成29年4月～平成30年3月)

(1)観測地点:長崎市多良町 総合水産試験場地先(棧橋筏)

総括表

		水温(°C)			塩分			溶存酸素(mg/L)		
		0m	2m	5m	0m	2m	5m	0m	2m	5m
4月	上旬	15.3	15.3	15.2	32.1	33.7	33.8	7.62	7.35	7.37
	中旬	17.3	17.7	17.4	30.1	33.4	33.7	6.37	6.47	6.43
	下旬	17.6	17.8	17.6	32.1	33.5	33.6	6.50	6.62	6.48
5月	上旬	19.3	19.3	18.8	32.8	33.7	33.8	6.05	5.88	5.77
	中旬	20.0	19.8	19.3	32.7	33.5	33.8	6.05	5.52	4.99
	下旬	21.6	21.3	20.3	32.9	33.7	33.9	6.05	5.64	5.42
6月	上旬	21.4	21.5	21.2	33.1	33.8	33.9	5.98	5.63	5.37
	中旬	22.0	22.0	21.7	32.9	34.0	34.1	6.15	5.64	5.46
	下旬	23.4	23.3	23.1	32.2	33.4	33.7	6.36	5.88	5.41
7月	上旬	26.5	26.5	26.3	31.0	32.5	33.0	6.63	6.21	5.90
	中旬	28.3	28.0	27.3	30.5	32.1	33.1	6.18	5.42	4.83
	下旬	29.7	29.3	28.2	31.9	33.2	33.5	7.85	6.08	4.87
8月	上旬	27.6	27.5	27.1	31.4	33.5	33.6	6.05	5.93	5.56
	中旬	27.7	27.5	27.3	30.7	32.9	33.3	5.37	5.06	5.02
	下旬	28.7	28.6	28.2	32.2	33.0	33.2	6.11	5.56	5.06
9月	上旬	25.2	25.7	25.7	31.1	33.4	33.7	6.06	5.28	5.52
	中旬	25.2	25.7	25.7	32.1	33.5	33.6	6.63	5.57	5.37
	下旬	24.5	24.8	24.7	32.2	33.3	33.5	7.55	5.99	5.98
10月	上旬	23.2	24.4	24.4	30.2	33.3	33.4	7.49	6.55	6.45
	中旬	22.4	24.0	24.3	29.8	32.8	33.2	センサー不良	センサー不良	センサー不良
	下旬	21.0	22.6	22.6	31.7	33.1	33.1	センサー不良	センサー不良	センサー不良
11月	上旬	21.7	22.3	22.3	33.8	34.5	34.6	4.87	4.71	5.09
	中旬	19.1	20.9	20.9	32.6	34.8	34.8	5.08	4.94	4.98
	下旬	17.5	18.9	18.9	32.2	34.8	34.8	5.01	4.97	5.05
12月	上旬	15.2	17.6	17.5	31.5	34.9	35.0	5.51	5.37	5.48
	中旬	14.8	15.8	15.7	32.9	35.0	35.1	5.62	5.67	5.75
	下旬	14.8	15.5	15.4	33.9	35.1	35.1	6.47	5.99	6.01
1月	上旬	14.4	15.1	15.0	33.9	35.1	35.1	7.64	6.76	6.61
	中旬	13.4	14.6	14.5	33.7	35.1	35.1	7.58	6.64	6.82
	下旬	10.6	14.2	14.2	30.7	35.1	35.1	7.10	6.36	6.76
2月	上旬	10.4	13.2	13.1	31.6	35.2	35.2	7.30	6.45	6.61
	中旬	11.7	13.2	13.1	32.5	35.1	35.1	7.66	6.61	6.59
	下旬	13.4	13.8	13.7	34.2	35.1	35.1	7.31	6.53	6.67
3月	上旬	13.5	14.4	14.5	33.2	34.8	35.0	6.95	6.42	6.31
	中旬	15.1	15.2	15.2	33.8	34.8	35.0	7.92	6.93	6.83
	下旬	15.0	15.6	15.6	33.2	34.9	35.1	7.40	6.63	6.51